



# EU-TYPE EXAMINATION CERTIFICATE

The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.



**Certificate N°** 0075/2085/162/12/19/3530

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

**Manufacturer :** Portwest Ltd  
IDA Industrial Park Westport Co Mayo Ireland F28 FY88  
Ireland

## Description

**PPE Type :** *protective glove against mechanical risks, thermal risks*

**Product reference :** A622 / VA622

**Article code :** /

**Glove description :** 13 gauge HPPE(high performance PE) + glass fiber with PU coating

**Available sizes :** 6/XS 7/S 8/M 9/L 10/XL 11/XXL

**Pictures :**



Portwest Ltd, IDA Industrial Park,  
Westport, Co Mayo, Ireland, F28  
FY88

**Reference standard :**

**Levels of performance / class of protection**

**EN 420:2003+A1:2009**

-

**EN 388:2016**

**4 X 4 3 C**

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

**EN 407:2004**

**X 1 X X X X**

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the Instruction for Use index 01 dated from December 2019

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425.

**Issued in Lyon by**  
Maxence DREVET  
Project Certification Manager

**Date of first issue :** 02 December 2019  
**End of validity date :** 02 December 2024



Original CTC



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.

[www.ctcgroupe.com](http://www.ctcgroupe.com)

[cemarking@ctcgroupe.com](mailto:cemarking@ctcgroupe.com)

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France  
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - [ctclyon@ctcgroupe.com](mailto:ctclyon@ctcgroupe.com)

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie  
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

**Portwest Ltd**

<b>MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425</b>
---

<b>Reference of the product</b>	:	<b>A622 / VA622</b>
<b>Article code</b>	:	<b>/</b>
<b>Technical file index</b>	:	<b>01</b>
<b>Last update</b>	:	<b>December 2019</b>

## IDENTIFICATION

Reference of the product : A622 / VA622  
Article code : /  
Basic Model  
Technical file index : 01  
Last update : December 2019

### **Manufacturer :**

Portwest Ltd  
IDA Industrial Park Westport Co Mayo Ireland F28 FY88  
Ireland  
tel : 003539826411  
fax : /

### **Factory :**

Nantong Safechoice Glove Co., Ltd  
No.333 Jiangxin Road,Dongan Industrial Zone,Rudong City,Jiangsu Pro.China  
China  
tel: 0513-81907757  
fax: 0513-81907757

Beihai Kingsky Enterprise Co., Ltd  
RM 1304, Unit 4, Bldg. B, Chengshilijing,  
China  
tel: 0779-3831933  
fax: 0779-3201479

## GLOVE DESCRIPTION

### **General glove description :**

13 gauge HPPE(high performance PE) + glass fiber with PU coating  
type of coating finish : smooth

### **Visual description (picture back and palm sides) :**



### **Field of use**

gardening, home work, DIY; logistic, construction, manufacturing industry (automobile, aeronautics), transportation for mechanical use

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)			
		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.14	Multi-risk PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.6	Protection against heat and/or fire	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

### **Available sizes :**

Minimum length of glove (mm)	Sizes
220	6/XS
230	7/S
240	8/M
250	9/L
260	10/XL
270	11/XXL

### **Glove constitution :**

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
Palm		GREY	PU	400g/m2		0.47-0.57mm
		GREY + BLACK + WHITE	HPPE (high performance PE) + glass fiber	300g/m2	13	
Back		GREY + BLACK + WHITE	HPPE (high performance PE) + glass fiber	300g/m2	13	
Cuff		GREY + BLACK + WHITE	HPPE (high performance PE) + glass fiber + elastic	400g/m2	13	
Binding		RED / YELLOW / BROWN / GREEN / BLACK / BLUE / GREY / PURPLE / ORANGE / WHITE	POLYESTER			

### **PROTECTION SCOPE**

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.  
This glove is designed against mechanical risks, thermal risks.  
It is a category II product.

### **GENERAL REQUIREMENTS**

#### **Standard EN 420 : 2003 + A1 : 2009**

Dexterity : 5

Size : conform

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

### **SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS**

#### **Mechanical hazard EN 388 : 2016**

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	X
Tear strength resistance	4
Puncture resistance	3
Cut Resistance method (EN ISO 13997)	C
Impact Protection	-

The levels of performance have been measured on the palm

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

#### **Thermal hazard EN 407 : 2004**

Protection offered	Performance levels
Burning behaviour	X
Contact heat	1
Convective heat	X
Radiant heat	X
Small splashes of molten metal	X
Large quantities of molten metal	X


## TEST REPORTS

Laboratory	CTC	Other
EN 420 + innocuousness	S190405217_1 S150705019_2 S160301002_1 D180611327_1(DMFu) S190101101_1(DMFu)	
EN 388	S181115589_1 S180911553_1	
EN 407	S161213588_1	

## MARKING - PACKAGING

### Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : A622 / VA622

Article Code : /

Size indicator


Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or Serial number :

### Marking example :



Portwest Ltd, IDA Industrial Park,  
Westport, Co Mayo, Ireland, F28  
FY88

### Method of marking on the glove :

heat transfer

### Packaging :

1 pair/poly bag , 12 pairs/opp bag , 120pairs/ctn

### PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

### Declaration of conformity :

Available with product.

## MEANS OF CONTROL

1. We choose the good suppliers to provide us material with good quality. At the same time, when we received the raw materials we should test some items according to relevant standard, such as EN388, EN420; the bad material cannot meet requirement will be rejected.
2. When we received the raw materials for mass production, the material QC will check them seriously in order that no any problem at the beginning;
3. Make samples before production, make sure samples meet the requirement of client and EN388, EN420, EN407: contact heat and other chemical items, then start to produce; it's very important for us;
4. Regularly check the quality of products in the whole process; any unacceptable defects are found, the gloves will be discarded; QC for each step will perform inspection in accordance with our requirement strictly;
5. Confirm packing specification before packing and regularly check and keep records;
6. According to QA inspection procedures, QA will perform final inspection on some cartons of glove randomly. Then the goods can be shipped in case no any problems.
7. Our QC will pick up some samples and do Abrasion, Cut tests and so on under EN388, EN420 every month, EN407 every 3 months.

## INSTRUCTION FOR USE

### Portwest Ltd

IDA Industrial Park Westport Co Mayo Ireland F28 FY88  
Ireland


Glove reference : A622 / VA622

Article code: /

User notice index : 01

Last update : December 2019

Available sizes : 6/XS 7/S 8/M 9/L 10/XL 11/XXL



Portwest Ltd, IDA Industrial Park,  
Westport, Co Mayo, Ireland, F28  
FY88

### Glove description :

13 gauge HPPE (high performance PE) + glass fiber with PU coating

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the PPE Regulation 2016/425 applicable from April 21st, 2018 : innocuousness, comfort, solidity.

It has been subject to a UE-type Examination performed by :

C.T.C. (OO75)  
4, rue Hermann Frenkel  
69367 LYON Cedex 07  
FRANCE

### Applicable standards :

The glove meets the requirements of the standard EN 420 : 2003 + A1 : 2009 « General requirements for work glove ». Dexterity : 5

Moreover, this glove has been designed for the following applications :

#### Application :

Mechanical hazard - EN 388 : 2016



4 X 4 3 C

Levels of performance

Abrasion resistance	4	(on 4 maxi)
Blade cut resistance	X	(on 5 maxi)
Tear resistance	4	(on 4 maxi)
Puncture resistance	3	(on 4 maxi)
Cut Resistance method (EN ISO 13997)	C	(A to F)
Impact Protection		

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

#### Application :

Thermal risk - EN 407 2004



X1XXXX

Levels of performance

Burning behaviour	X	(on 4 maxi)
Contact heat	1	(on 4 maxi)
Convective heat	X	(on 4 maxi)
Radiant heat	X	(on 4 maxi)
Small splashes of molten metal	X	(on 4 maxi)
Large quantities of molten metal	X	(on 4 maxi)

### Protection limit :

This glove doesn't give a protection for a temperature over 100°C.

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted.

The levels of performance mentioned are only valid for the palm of the glove.

The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated.

These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire

Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

For gloves with different layers of material, the performance levels are warranted only for the whole glove.

For gloves with two or more layers the overall classification does not necessarily reflect the performance of the outermost layer.

### Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.

### PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean, ventilated, light).

### Declaration of conformity :

Available with product.